## **EAST Search History**

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((Remot\$3 SAME (test\$3 debugg\$3)) AND (binar\$3 debugg\$3) AND (binar\$3 executable executing exe ". exe" executes) AND (index \$3 catalog\$3 stor\$3) AND ((source file) with server) AND (data with (stream block)) AND((global public) with (variable\$1 parameter\$1)) AND ((local internal privat) with (variable\$1 parameter\$1)) and 707/1,3-6.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/29 18:29
S117	0	(divid\$3 separat\$3 ) same (data with stream) same (global) same (local) and ((debug trac\$3) adj file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:22
S118	0	(data with stream) same (global) same (local) and ((debug trac\$3) adj file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:26
S119	56	(divid\$3 separat\$3 ) same (data with stream) same (global) same (local) and @ad<"20031226"	US: PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:27
S120	1	(divid\$3 separat\$3 ) same (debug\$5 trac\$3) with (file \$1) and (data with stream) same (global) same (local) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:28
S121	125	(divid\$3 separat\$3 ) same (data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:32

S122	33	(divid\$3 separat\$3 ) same (data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac \$3) with (file\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01
S123	125	(divid\$3 separat\$3 ) same (data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:45
S124	7	(divid\$3 separat\$3 ) same (data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and (@ad<*20031226" and "717"/.cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2010/01/01 15:45
S125	14	(divid\$3 separat\$3 ) same (data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and (@ad<*20031226" and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2010/01/01 16:09
S126	0	(shorthand with (retriv\$3 extract\$3) ) same (data with stream) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226" and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:18
S127	O	(shorthand with (retriv\$3 extract\$3)) same (data with stream) and (global with (variable\$1 parameter \$11) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:18
S128	0	(shorthand with (retriv\$3 extract\$3) ) and (data with stream) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:18

S129	26	(writ\$3 ) same (data with stream) same (file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226" and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:29
S130	0	(writ\$3) same (data with stream) same (debug\$5 trac\$3) with file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and (gad<"20031226" and "707"/.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:31
S131	0	(writ\$3) same (data with stream) same (debug\$5 trac\$3) with file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:31
S132	3	(data with stream) same ((debug\$5 trac\$3) with file \$1) and (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:31
S133	46	(writ\$3) same (data with stream) same (file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad< "20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:33
S134	3	(data with stream) same ((debug\$5 trac\$3) with file \$1) and (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:41
S135	4	(data with stream) same (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac \$3) with (file\$1)and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEHWENT; IBM_TDB	OR	OFF	2010/01/01 16:42

S136	0	(data with stream) same (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac\$3) adj file\$1)and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:45
S137	14	(data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac\$3) adj file\$1)and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 16:45
S138	36	("20030167423"   "20030167423"   "20030167423"   "20040078688"   "200400230954"   "4558413"   "5778231"   "5978587"   "5106574"   "6263456"   "6757893"   "6795962"   "6964036"   "7055136"   "7062750"   "7231633"   PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 00:57
S139	14	(data with stream) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac\$3) ad) file\$1)and @ad = "20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:14
S140	37	(global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and ((debug\$5 trac\$3) adj file\$1)and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:16
S141	18	(data with stream) same (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:18
S142	1	(divid\$3 separat\$3) same (data with stream) same (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:19

S143	0	(divid\$3 separat\$3) same (debug trace) with file\$1 same (global with (variable \$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	William Commence	2010/01/06 20:20
S144	12	(divid\$3 separat\$3) same (debug trace) with file\$1 and (global with (variable \$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:20
S145	74	(debug trace) with file\$1 and (global with (variable \$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:26
S146	990	(separat\$3 divid\$3) same (data with stream) and (global) same (local) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:33
S147	19	(separat\$3 divid\$3) same (data with stream) and (global) same (local) and (debug trace) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:33
S148	38	(separat\$3 divid\$3) same (data with stream) and (global) same (local) and (debug trace symbol) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:34
S149	22	(storing) same (global) same (local) and (debug trace symbol) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:38
S150	107	(writ\$3 stor\$3) same ((debug\$5 trac\$3) with file \$1) and (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:44

S151	15	(writ\$3 stor\$3) same ((debug\$5 trac\$3) with log with file\$1) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:49
S152	5	((devid\$3 separat\$3) same ((debug\$5 trac\$3) with log with file\$1) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:50
S153	122	(devid\$3 separat\$3) same (steam string) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:51
S154	26	(devid\$3 separat\$3) same (steam string) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226" and "717"/.cots.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:52
S155	34	(devid\$3 separat\$3) same (steam string) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226" and "707"/.cds.	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:52
S156	6	(devid\$3 separat\$3) same (symbol with file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	OR	OFF	2010/01/06 20:55
S157	6	(devid\$3 separat\$3) same (symbol with file\$1) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:57

S158	20	(stor\$3) same (symbol with file\$1) and (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 20:58
S159	68	(stor\$3) same (global with (variable\$1 parameter \$1) same (local with (variable\$1 parameter\$1)) and (trac\$3 debugg\$3) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:01
S160	6	(stor\$3) same (global with (variable\$1 parameter \$1)) same (local with (variable\$1 parameter\$1)) and (trac\$3 debugg\$3) with log with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:03
S161	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:05
S162	1		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:05
S163	4	(retriv\$3 quer\$3 extract \$3) same (global with (variable\$f parameter\$1)) same (local with (variable \$1 parameter\$1)) and (trac \$3 debugg\$3) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFIWENT; IBM_TDB	OR	OFF	2010/01/06 21:06
S164	0	(retriv\$3 quer\$3 extract \$3) same (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) and (trace debug) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:06

<b>S</b> 165	56	(retriv\$3 quer\$3 extract \$3) and (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) and (trace debug) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/06 21:06
S167	71	(retriv\$3 quer\$3 extract \$3 ) and (global with (variable\$1 parameter\$1)) same (local with (variable \$1 parameter\$1)) with file \$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 09:07
S168	0	(retriv\$3 quer\$3 extract \$3 ) with (script) same (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and (trac\$3 debugg \$3) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 11:47
S169	36	(retriv\$3 quer\$3 extract \$3) with (script) and (global with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 11:48
S170	40	(search\$3 retriv\$3 quer\$3 extract\$3 ) with (script) and (global with (variable \$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:02
S171	163	(search\$3 retriv\$3 quer\$3 extract\$\$ ) with (script stream) and ((global public) with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:14
S172	6	(search\$3 retriv\$3 quer\$3 extract\$3) with (script stream) and ((global public) with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and (@ad<"20031226" and 707/3-4.cds.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:18

S173	O	(search\$3 retriv\$3 quer\$3 extract\$\$2) with (script stream) same ((global public) with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter\$1)) and @ad<"20031226" and 70773-4.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07
S174	_	(search\$3 retriv\$3 quer\$3 extract\$3) with (script stream) same ((global public) with (variable\$1 parameter\$1)) same (local with (variable\$1 parameter \$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:20
S175	4	(search\$3 retriv\$3 quer\$3 extract\$3) with (script stream) same ((global public) with (variable\$1 parameter\$1)) and (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:21
S176	26	(search\$3 retriv\$3 quer\$3 extract\$3 ) with (script stream) same ((global public) with (variable\$1 parameter\$1)) and @ad<"20031226"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 12:26
S177	42	(search\$3 retriv\$3 quer\$3 extract\$3 ) with (script stream) same (local with (variable\$1 parameter\$1)) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/07 13:08
S178	1529	(writ\$3 insert) with (data block\$1 stream\$1) same script and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:21
S179	197	(writ\$3 insert) with (data block\$1 stream\$1) same (debug symbol) with file and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:23
S180	41	(writ\$3 insert) with (data block\$1 stream\$1) same (debug symbol) with file and @ad<"20031226" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:25

S181	136	(writ\$3 insert) same (data block\$1 stream\$1) with (debug\$5 trac\$3) same file and @ad<"20031226" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:31
S182	98	(writ\$3 insert) same (data block\$1 stream\$1) with (debug\$5 trac\$3) same file and @ad<"20031226" and "717"/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:32
S183	0	(writ\$3 insert) same (data block\$1 stream\$1) with (extract\$3 retriv\$3) same (debug\$5 trac\$3) with file \$1 and @ad<"20031226" and "717"/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:37
S184	56	(writ\$3 insert) same (data block\$1 stream\$1) with (extract\$3 retriv\$3) same (debug\$5 trac\$3) with file \$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:37
S185	2352	(writ\$3 insert) same (data block\$1 stream\$1) same (debug\$5 trac\$3) with file \$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:43
S186	1833	(writ\$3 insert) with (data block\$1 stream\$1) same (debug\$5 trac\$3) with file \$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:43
S187	383	(writ\$3 insert) same (data) with (block\$1 stream\$1) same (debug\$5 trac\$3) with file\$1 and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:44
S188	5	(writ\$3 insert) same (data) with (block\$1 stream\$1) same (debug\$5 trac\$3 ) with file\$1 and @ad<"20031226" and 717/124-135.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:45
S189	326	(writ\$3 insert) same (data with (block\$1 stream\$1)) same ((debug\$5 trac\$3) with file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:46

S190	6	(writ\$3 insert) same (data with (block\$1 stream\$1)) same ((debug\$5 trac\$3) with file) and @ad<"20031226" and "717"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:47
S191	16	(writ\$3 insert) same (retriev\$3 extract\$3 filter \$3 with (data with (block \$1 stream\$1))) same ((debug\$5 trac\$3) with file) and @ad<"20031226" and "717"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:48
S192	247	(writ\$3 insert) same (retriev\$3 extract\$3 filter \$3 with (data with (block \$1 stream\$1))) same ((debug\$5 trac\$3 ) with file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:48
S193	247	(writ\$3 insert) same (retriev\$3 extract\$3 filter \$3 with (data adj (block\$1 stream\$1))) same ((debug \$5 trac\$3) with file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:48
S194	8	(writ\$3 insert) same ((retriev\$3 extract\$3 filter \$3) with (data adj (block \$1 stream\$1))) same ((debug\$5 trac\$5 ) with file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:49
S195	14	(writ\$3 insert) same ((retriev\$3 extract\$3 filter \$3) with (data near5 (block \$1 stream\$1))) same ((debug\$5 trac\$3 ) with file) and @ad<"20031226"	US: PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:52
S196	13	(retriev\$3 extract\$3 filter \$3) with (script\$1) same (global with variable\$1) same (local with variable \$1) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 16:58
S197	14	(quer\$3 retriev\$3 extract \$3 filter\$3) with (script\$1) same (global with variable \$1) same (local with variable\$1) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 17:00

S198	1	[quer\$3 retriev\$3 extract \$\$ filter\$3) with (script\$1) same (global with variable \$1) same (local with variable\$1) and @ad<"20031226" and 707/3.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 17:02
S199	14	(quer\$3 retriev\$3 extract \$3 filter\$3) with (script\$1) same (global with variable \$1) same (local with variable\$1) and @ad<"20031226"	US PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 17:04
\$200	58	(quer\$3 retriev\$3 extract \$5 filter\$3 seanch\$3 scann \$3 par\$\$3) with (script\$1) and (global with variable \$1) same (local with variable\$1) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 17:06
S201	116	(separat\$3 devid\$3) same (data with (block\$1 stream \$1)) and (global with variable\$1) same (local with variable\$1) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:13
S202	1	(separat\$3 devid\$3) same (data with (block\$1 stream \$1)) and (global with variable\$1) same (local with variable\$1) and (@ad<"20031226" and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:14
S203	2	(script\$1) same (global with variable\$1) same (local with variable\$1) and @ad<"20031226" and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:16
\$204	3	(quer\$3 retriev\$3 extract \$3 filter\$3 search\$5 scann \$3 pars\$3) with (script\$1) and (global with variable \$1) same (local with variable\$1) and @ad<*20031226" and 707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:17

S205	17	[quer\$3 retriev\$3 extract \$3 filter\$3 search\$3 scann \$3 pars\$3) with (script\$1) and (global with variable \$1) same (local with variable\$1) and @ad<"20031226" and "717"/.ods.	US-PGPUB; USPAT; USOCR; EPO; JPO; DEHWENT; IBM_TDB	OR	OFF	2010/01/27
S206	55	S200 NOT S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:56
S207	39	\$206 NOT \$205	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 18:56
\$208	1	(separat\$3 devid\$3) same ( (retriv\$3 quer\$3 extract \$3 filler\$3) with (data with (block\$1 stream\$1)) ) and (global with variable\$1) same (local with variable \$1) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 19:15
\$209	102	(separat\$3 devid\$3) same (data with (block\$1 stream \$1)) and (global with variable\$1) same (local with variable\$1) and (source) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 19:17
\$210	17	(separat\$3 devid\$3) same (data with (block\$1 stream \$1)) and (global with variable\$1) same (local with variable\$1) and (source) and @ad<"20031226" and "717"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DEHWENT; IBM_TDB	OR	OFF	2010/01/27 19:17
\$211	O	(separat\$3 devid\$3) same (data with (block\$1 stream \$1)) and (global with variable\$1) same (local with variable\$1) and (source) and @ad<"20031226" and "717"/115.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DEHWENT; IBM_TDB	OR	OFF	2010/01/27

\$212	22	("20020174415"   "6061518"   "6253368"   "6324683"   "6353923"   "6427232"   "6463578"   "6470349"   "6701514"   "6708327"   "6718516"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 19:39
S213	0	("2004/0210872").URPN.	USPAT	OR	OFF	2010/01/27 20:09
S214	15	(quer\$3 retriev\$3 extract \$3 filter\$3 search\$3 scann spar\$3) with (script\$1) and (global with variable \$1) same (local with variable\$1) and @ad<"20031226" and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 20:16
\$215	9	(server with side ) with (script\$1) and (global with variable\$1) same (local with variable\$1) sime (gade "20031226" and "707"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 20:27
S216	39	(relaunch\$3 resum\$3 ) same (script) and @ad<"20031226" and "717"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 20:39
S217	15	(relaunch\$3 resum\$3 ) same (script) and @ad<"20031226" and "717"/124-135.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/27 20:41
S218	32	("5247649"   "5355487"   "5408665"   "5450866"   "5450489"   "5584005"   "5689753"   "5784553"   "5989145"   "5918004"   "5933642"   "5950003"   "6016556"   "6044461"   "6077311"   "6087967"   "6282701"   "628203"   "6314558"   "6317872"   "6338159"   "6331735"   "638246"   "6442663"   "6557168"   "6658416"   "6678883"   "6708169"   "6742178"   "6766511"). PN.	US POPUB; USPAT; USOOR	OR	OFF	2010/01/27

S219	6	("5408665"   "5452449"   "5584005"   "5918004"   "6274317"   "6282701"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/27 21:08
\$220	297	(retriev\$3 extract\$3) with (script\$1) same ( file\$1) with (server) and @ad<"20031226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 13:17
S221	29	(retriev\$3 extract\$3) with (script\$1) same ( file\$1) with (server) and @ad<"20031226" and "717"/.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 13:18
\$222	11	("20020156702"   "20040024610"   "5418713"   "5636276"   "5734823"   "5734891"   "5794217"   "5999972"   "6286047"   "6336138"   "6609150").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 13:35
S223	12	(index\$3 with script) same (server with file) and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 13:52
<b>S22</b> 5	13	(index\$3 with script) same (source file) with server and @ad< "20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:01
S226	190	(retriev\$3 extract\$3) with script same (source file) with server and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:09
S227	65	(retriev\$3 extract\$3) with script same (source file) with server and @ad<"20031226" and "707"/.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:09
S228	6	(retriev\$3 extract\$3) with script same (source file) with server and @ad<"20031226" and "707"/3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:20
S229	0	(index\$3) with script same (system with source) with server and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:55
\$230	80	(index\$3) same (system with source) with server and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:57

S231	42	(index\$3) same (system with source) with server and @ad<"20031226" and microsoft	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 14:57
S232	0	(index\$3 catalog\$3) with script same (system with source) with server and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 15:03
S233	8	(index\$3 catalog\$3) with script and (system with source) with server and @ad<"20031226"	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 15:05
\$235	0	((Remot\$3 with (test\$3 debugg\$3)) same (binar\$3 executable executing exe ".exe" executes) AND (index \$3 catalog\$3 stor\$3) same ((source file) with server) Same (data with (stream block)) same ((global public) with (variable\$1 parameter\$1)) same ((local internal privat) with (variable\$1 parameter\$1)).dm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENIT; IBM_TDB	OR	OFF	2010/01/28
S236	O	((Remot\$3 with (test\$3 debugg\$3)) AND (binar\$3 executable executing exe ". exe" executes) AND (index \$3 catalog\$5 stor\$3) AND ((source file) with server) AND (data with (stream block)) AND((global public) with (variable\$1 parameter\$1)) same ((local internal privat) with (variable\$1 parameter\$1)).	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	Marie de la companie	OFF	2010/01/28
S237	· home	((Femot\$3 SAME (test\$3 debug\$\$3)) AND (binar\$3 executable executing exe ". exe" executes) AND (index \$3 catalog\$3 stor\$3) AND ((source file) with server) AND (data with (stream block)) AND(global public) with (variable\$1 parameter\$1)) AND ((local internal privat) with (variable\$1 parameter\$1)) AND (most of the control o	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 20:31

\$238	4	((Femot\$3 AND (test\$3 debugg\$3)) AND (binar\$3 executable executing exe ". exe" executes) AND (index \$3 catalog\$3 stor\$3) AND ((source file) AND server) AND (data AND (stream block)) AND((global public) AND (variable\$1 parameter\$1)) AND ((variable\$1 parameter\$1)) AND (variable\$1 parameter\$1)), AND (variable\$1 parameter\$1), AND (variable\$1 parameter\$1)), AND (variable\$1)), AND	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 20:31
\$239	1561	717/124.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 20:35
S240	4	((PAT) near2 (STYLES)). INV.	US-PGPUB; USPAT	OR	OFF	2010/01/28 20:36
S241	1	((SOOTT) near2 (KUPEC)). INV.	US-PGPUB; USPAT	OR	OFF	2010/01/28 20:36
\$242	212	(associat\$3 locat\$3 match \$3) same ((source with (code\$1 instruction\$1)) same ((binar\$3 execut\$5) with (code\$1 instruction \$1)) and (debugg\$3 with (binar\$3 execut\$3 (back adj end)))) and 717/124- 135,140.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 20:38
S243	O	(associat\$3 locat\$3 match \$3) same ((source with (code\$1 instruction\$1)) same ((binar\$3 execut\$5) with (code\$1 instruction \$1)) and (debugg\$3 with (binar\$3 execut\$3 (back adj end)))) and 707/600. cols.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 20:45
<b>S</b> 244	0	(associat\$3 locat\$3 match \$3) same ((source with (code\$1 instruction\$1)) same ((binar\$3 execut\$5) with (code\$1 instruction \$1)) and (debugg\$3 with (binar\$3 execut\$3 (back aid)))) and 707/705. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:05

S246	-	(associat\$3 match \$3) same ((source with (code\$1 instruction\$1)) same ((binar\$3 execut\$5) with (code\$1 instruction \$1)) and (debugg\$3 with (binar\$3 execut\$3 (back adj end)))) and 707/1,3-6. ccls	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	MOR	OFF	2010/01/28 21:12
S247	10	(retriev\$3 extract\$3) with script same (source file) with server and @ad<"20031226" and "707"/1,3-6.cds.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/28 21:13
\$249	1	[((Femot\$3 AND (test\$3 debugg\$3)) AND (binar\$3 debugg\$3)) AND (binar\$3 executable executing exe ". exe" executes) AND (index \$3 catalog\$3 stor\$3 AND ((source file) AND server) AND (data AND (sream block)) AND((global public) AND (variable\$1 parameter\$1)) AND ((local internal privat) AND (variable\$1 parameter\$1)) aND (and 10747659	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:14
\$250	458	(index\$3 ) with script and @ad<"20031226"	US: PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:15
S251	53	(index\$3 ) adj script and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:16
S252	173	(retriev\$3 ) adj script and @ad<"20031226"	US-PGPUB; USPAT; USOCR; FPRS, EPO; JPO; DEPWENT; IBM_TDB	OR	OFF	2010/01/28 21:16
\$253	221	(server) adj side adj script and @ad<"20031226"	US-PGPUB, USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:17

\$254	68	(server) adj side adj script and index\$3 and @ad< "20031226"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/28 21:18
\$255	4	((Remot\$3 SAME (test\$3 debug\$\$3)) AND (binar\$3 executable executing exe ".exe" executes) AND (index \$3 catalog\$3 stor\$3) AND ((source file) with server) AND (data with (stream block)) AND((global public) with (variable\$1 parameter\$1)) AND ((local internal privat) with (variable\$1 parameter\$1)) and 717/124-135,115,140. cols.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2010/01/28 21:26

<sup>1/29/2010 6:33:05</sup> PM

C:\Documents and Settings\ mlee6\ My Documents\ EAST\ Workspaces \ 10747659\_debugging\_executable\_code\ update.wsp